

## LC APC 5m Simplex cable Pigtail



Pigtails are used for splice applications when terminating outside plant cable. It's consists of a connector and a special length of fiber cable. Meets Telcordia GR-326 Core and ROHS requirements. All of our pigtails are factory inspected and tested, with available interferometer data upon request.


### Features:

- Low insertion loss, Low back reflection loss
- Flexible and easy to strip fiber buffering
- Identifiable fiber buffer colors under all lighting conditions
- Reduces installation time
- Avoids incorrect patching by possible fiber flipping
- Clean and Scratch-Free End Face
- Proportional geometric test is applied to the normal production.
- 100% interferometer check is available under special requirement.

## Products info

<b>Connector A</b>	LC	<b>Connector B</b>	Unterminated
<b>Fiber Category</b>	Single-mode (G652D)	<b>Fiber Count</b>	1
<b>Polish</b>	APC	<b>Cable Diameter</b>	0.9mm
<b>Jacket Material</b>	LSZH	<b>Jacket Color</b>	12 different colors
<b>Wavelength</b>	1310nm and 1550nm	<b>Durability</b>	>1000 Times
<b>Insertion loss</b>	≤ 0.3 dB	<b>Interchangeability</b>	≤0.2 dB
<b>Return loss</b>	≥ 60 dB	<b>Vibration</b>	≤0.2 dB
<b>Operating temperature</b>	-40~75°C	<b>Storage temperature</b>	-45 ~ 85°C

## Physical Information





CUSTOM option

**Cable OD can be**  
● Customized  
0.6mm/0.9mm

Length can be Customized

blue	12 different
orange	Colors
green	can be
Brown	customized
Slate	
white	
red	
black	
yellow	
Violet	
Rose	
Aqua	

Easy strip length:  
Tight buffer: <5cm  
Semi-tight buffer: 10cm  
Loose buffer: 50-100cm


Colored fiber,  
Easy to distinguish

Transparent Fiber


Best endface offer  
optimum IL&RL

We also provides a full set of OEM services, such as fiber connector, length, color, fiber grade, specification, material, package etc.


## LC UPC Sm Simplex cable Pigtail




### Physical Information




## SC PC mm OM2 50/125 Simplex cable Pigtail




### Physical Information



## SC UPC Sm Simplex cable Pigtail




### Physical Information




## ST PC mm OM2 50/125 Simplex cable Pigtail



### Physical Information



## ST UPC Sm Simplex cable Pigtail



### Physical Information

